

IN THE CLAIMS:

Please cancel Claims 8-11, 19-22, 29, and 30, without prejudice to or disclaimer of the subject matter presented therein.

Please amend Claims 1, 4, 12, 15, and 23-28, as follows.

1. (Currently Amended) An image processing apparatus, comprising:

holding means for holding plural pieces of frame data constituting a moving image captured using a capture device mounted on a moving object, obtained from image data input at a plurality of positions, associated with position data obtained based on GPS, that indicate a position at which each piece of frame data is captured;

extraction means for extracting successive frame data whose position data nearly matches, from said plural pieces of frame data held by said holding means;

deletion means for deleting all frame data of the extracted successive frame data except for one frame data overlapping another piece of frame data extracted by said extraction means; and

associating means for associating the frame data that has not been deleted by said deletion means with a position on a map based on the position data of said frame data.

~~storage means for storing, after associating with a position on a map, frame data remaining after a deleting process performed by said deletion means.~~

2-3. (Cancelled)

4. (Currently Amended) The apparatus according to claim 1,

wherein said holding means holds frame data of moving images ~~image data is~~  
captured with a plurality of moving capture devices ~~for capturing different directions~~  
mounted on the moving object, and

~~said position data is obtained from a distance meter for measuring a moving~~  
~~distance of a moving object which moves with said plurality of capture devices~~ said  
apparatus further comprises generation means for generating panoramic images from the  
frame data captured by the plurality of capturing devices.

5. (Previously Presented) The apparatus according to claim 1, further

comprising:

setting means for setting sampling intervals of frame data,

wherein said extraction means extracts frame data of frames having position  
data that is separated by a distance that is shorter than a distance corresponding to the  
sampling intervals set by said setting means.

6-11. (Cancelled)

12. (Currently Amended) An image processing method, comprising the steps

of:

extracting successive frame data, determined to have been captured at  
substantially a same position, obtained from holding means which holds plural pieces of

frame data constituting a moving image captured using a capture device mounted on a moving object ~~obtained from image data captured by a plurality of capture devices,~~ wherein said holding means stores each of the plural pieces of frame data associated with position data obtained based on GPS, that indicate a position at which each piece of frame data is captured, and said extraction step extracts successive frame data matching in position data;

deleting all frame data of the extracted successive frame data except for one frame data ~~overlapping another piece of frame data extracted in an extracting step;~~ and associating the frame data that has not been deleted by said deletion step with a position on a map based on the position data of said frame data.

~~storing frame data remaining after said deleting step, after associating with a position on a map.~~

13-14. (Cancelled)

15. (Currently Amended) The method according to claim 12, wherein said holding means holds frame data of moving images ~~image data is~~ captured with a plurality of moving capture devices ~~for capturing different directions~~ mounted on the moving object, and said method further comprises a generation step of generating panoramic images from the framed data captured by the plurality of capturing devices.

~~said position data is obtained from a distance meter for measuring a moving distance of a moving object which moves with said plurality of capture devices.~~

16. (Previously Presented) The method according to claim 12, further comprising the step of:

setting sampling intervals of frame data,

wherein said extracting step extracts frame data for frames having position data that is separated by a distance that is shorter than a distance corresponding to the sampling intervals set in said setting step.

17-22. (Cancelled)

23. (Currently Amended) A computer-executable program, comprising:

a code of an extracting step of extracting successive frame data, having position data that nearly matches, from holding means which holds plural pieces of frame data constituting a moving image captured using a capture device mounted on a moving object ~~obtained from image data input at a plurality of positions~~, associated with position data obtained based on GPS, that indicate a position at which each piece of frame data is captured;

a code of a deleting step of deleting all frame data of the extracted successive frame data except for one frame data ~~overlapping another piece of frame data extracted in an extracting step~~; and

a code of an associating step of associating the frame data that has not been deleted by said deletion step with a position on a map based on the position data of said frame data.

~~a code of a storing step of storing, after associating with a position on a map, frame data remaining after said deleting step.~~

24. (Currently Amended) A storage medium storing a computer-executable program,

wherein said program comprises:

a code of an extracting step of extracting successive frame data, having position data that nearly matches, from holding means which holds plural pieces of frame data constituting moving image captured by using a capture device mounted on a moving object ~~obtained from image data input at a plurality of positions~~, associated with position data obtained based on GPS, that indicate a position at which each piece of frame data is captured;

a code of a deleting step of deleting all frame data of the extracted successive frame data except for one frame data ~~overlapping another piece of frame data extracted in an extracting step~~; and

a code of an associating step of associating the frame data that has not been deleted by said deletion step with a position on a map based on the position data of said frame data.

~~a code of a storing step of storing, after associating with a position on a map,  
frame data remaining after said deleting step.~~

25. (Currently Amended) An image processing apparatus, comprising:

holding means for holding plural pieces of frame data constituting a moving image, obtained from image data input while visiting a plurality of positions;

determination means for comparing two pieces of successive frame data and determining whether or not the two pieces of successive frame data have been captured at a same position;

extraction means for extracting frame data determined by said determination means to have been captured at the same position from said plural pieces of frame data held by said holding means;

deletion means for deleting frame data overlapping another piece of frame data extracted by said extraction means; and

storage means for storing, after associating with a position on a map, frame data remaining after a deleting process performed by said deletion means,

wherein said determination means computes least squares error between two pieces of successive frame data, and determines that the two pieces of successive frame data match each other when the computed least squares error is equal to or smaller than a predetermined value.

26. (Currently Amended) An image processing method, comprising the steps of:

comparing two pieces of successive frame data obtained from holding means which holds plural pieces of frame data constituting a moving image, obtained from image data captured ~~by a plurality of capture~~ at a plurality of positions, and determining whether or not the two pieces of successive frame data have been captured at a same position,

extracting frame data determined in said determining step to have been captured at the same position;

deleting frame data overlapping another piece of frame data extracted in an extracting step; and

storing frame data remaining after said deleting step, after associating the frame data remaining after said deletion step with a position on a map,

wherein said determining step computes least squares error between two pieces of successive frame data, and determines that the two pieces of successive frame data match each other when the computed least squares error is equal to or smaller than a predetermined value.

27. (Currently Amended) A computer-executable program comprising:

code for comparing two pieces of successive frame data obtained from holding means which holds plural pieces of frame data constituting a moving image, obtained from image data captured ~~by a plurality of capture~~ at a plurality of positions, and determining

whether ~~or not~~ the two pieces of successive frame data have been captured at a same position;

code for extracting frame data determined in said determining step to have been captured at the same position;

code for deleting frame data overlapping another piece of frame data extracted in an extracting step; and

code for storing frame data remaining after said deleting step, after associating the frame data remaining after said deleting step with a position on a map,

wherein said determining step computes least squares error between two pieces of successive frame data, and determines that the two pieces of successive frame data match each other when the computed least squares error is equal to or smaller than a predetermined value.

28. (Currently Amended) A storage medium storing a computer-executable program, wherein the program comprises:

code for comparing two pieces of successive frame data obtained from holding means which holds plural pieces of frame data constituting a moving image, obtained from image data captured ~~by a plurality of capture~~ at a plurality of positions, and determining whether or not the two pieces of successive frame data have been captured at a same position;

code for extracting frame data determined in said determining step to have been captured at the same position;



code for deleting frame data overlapping another piece of frame data extracted in an extracting step; and

code for storing frame data remaining after said deleting step, after associating the frame data remaining after said deleting step with a position on a map,

wherein said determining step computes least squares error between two pieces of successive frame data, and determines that the two pieces of successive frame data match each other when the computed least squares error is equal to or smaller than a predetermined value.

29-30. (Cancelled)